

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>A61K 33/24</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 96/30029</b> <b>(43) International Publication Date:</b> 3 October 1996 (03.10.96)
<b>(21) International Application Number:</b> PCT/GB96/00575 <b>(22) International Filing Date:</b> 19 March 1996 (19.03.96) <b>(30) Priority Data:</b> 9506126.3                      25 March 1995 (25.03.95)                      GB <b>(71) Applicant (for all designated States except US):</b> JOHNSON MATTHEY PUBLIC LIMITED COMPANY [GB/GB]; 78 Hatton Garden, London EC1N 8JP (GB). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> MURRER, Barry, Anthony [GB/GB]; 17 Carnarvon Road, Reading, Berkshire RG1 5SB (GB). POWELL, Nigel, Anthony [GB/GB]; 4 Ibstock Close, Reading, Berkshire RG3 2NU (GB). <b>(74) Agents:</b> BREWER, Leonard, Stuart et al.; Johnson Matthey plc, Technology Centre, Blounts Court, Sonning Common, Reading RG4 9NH (GB).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> PHARMACEUTICAL COMPOSITION CONTAINING SELECTED LANTHANUM CARBONATE HYDRATES <b>(57) Abstract</b>  Selected lanthanum carbonate hydrates may be administered into the gastrointestinal tract, to treat hyperphosphataemia in patients with renal failure.		